

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (<http://www.projector.com>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.

- SVGA (800 x 600)
- 1100 ANSI Lumens
- Only 5.7 Lbs.
- Digital Keystone Correction
- Remote Mouse Control
- Ultra Quiet
- Zoom Lens



FEATURES

The **Dukane ImagePro 8043A™** is a full-featured multimedia projector, which employs the latest LCD technology to produce vibrant saturated color images. It can display virtually any computer or video image. With a light output of **1100 ANSI lumens** and a contrast of 400:1, the image is clearly visible in classrooms and offices. This projector is an exceptional value while still providing easy operation for schools and business locations. It has simple controls, is ultra quiet, can be ceiling or table mounted, has digital keystone correction,



The ImagePro8043 inputs are easily accessible. Connecting your computer is quick and easy.

operates with automatic image setup and scaling, has direct one button source selection, plus permits control of the computer mouse and full projector "on/off" by the infrared remote control. All this combined with lightweight and relatively small size makes one versatile projector.

SPECIFICATIONS

1100 Lumens • SVGA Resolution • 400:1 Contrast Ratio • Ceiling Mountable • Wireless Remote Control • Digital Keystone correction • Manual 1.3 X Zoom and Focus • Digital Zoom Function • Input for Computer Sources • Composite and S-video Inputs • Built in Speaker • Remote Mouse Control • Full Power Control via the Remote • Monitor Output • Displays VGA, SVGA, XGA, and SXGA signals • 4:3 or 16:9 Aspect Ratio • Operating sound under 35dB • 210 Watts Total Power • Weight 5.7 lbs • Long Life 2000 hour Lamp • Covered by DUKANE'S Industry Leading 5 Year Parts and Labor Warranty, Free 24/7 Technical Support and 2 Year Free Peace of Mind Loaner Program.

PROJECTING YOU INTO THE FUTURE

Audio Visual Products
DUKANE
www.dukane.com/AudioVisual/



ImagePro 8043A SVGA Data and Video Projector Model 28A8043A



Specifications (Specifications are subject to change without notice)

Device Type	0.55"x 3 Poly-Silicon
Brightness	1100 ANSI Lumens
Resolution	800 x 600 (H x V), SVGA
Contrast	400:1
Scanning Frequency	fh 15-100 kHz, fv 43-130 Hz
Lens	Manual Zoom, 1.3X
Image Offset	50%
Keystone Correction	Digital, adjustable +/- 15°
Aspect Ratio	4:3, 16:9, Selectable
Focus Range, Throw	5 to 30ft.
Image Range, Screen	40 to 210 inches, diagonal
Computer Compatibility	VGA, SVGA, XGA, SXGA, Mac, Mac 13" and Mac 16," Mac 19", Mac 21"
Video Compatibility	NTSC, PAL, SECAM, EDTV, S-Video
Image Control	Freeze function, Electronic Magnification and Pan
Mouse Control (remote)	Use PS/2 or USB
Projection Configuration	Front/rear/ceiling
Remote Power	Full "off/on" by remote control
Color Reproduction	24 bit (16.7 million)
Lamp	132W UHP
Lamp Life	2000 hours (typical)
Audio	Speaker 1 x 1watt
Inputs, Video	(1) Min DIN 4-pin, S-Video (1) RCA, composite Video
Inputs, Computer	(1) Signal; D-sub 15 pin, RGB
Inputs, Audio	(1) Audio, Stereo mini jack
Outputs	(1) Monitor 15 pin, D-sub, RGB
Control	(1) PS/2 / RS-232 (1) USB (B-type) mouse
Fan Levels (noise)	34 db Very quiet
Power	AC100-240V 50/60 Hz, 200 watt/210 watt max
Size (WxHxD)	10" x 3.7" x 12"
Weight	5.7 lbs
Shipping Weight	15 lbs.
Carton Size	15.5" x 13.5" x 17" (WxHxL)
Accessories Included	Remote control with Batteries, Power cord, Audio cable, Composite video cable, RGB Computer cable, operators manual, and soft carrying bag.
Operating Temperature	+5° to 40°C (41°- 104°F)
Safety	UL/C-UL, CE, FCC-B
Optional Accessories	Lamps 456-235

Five (5) year Limited Warranty on Parts and Labor in North America, lamp excluded (for other locations, local warranties apply.) Includes Dukane's FREE 24 month Peace-of-Mind Loaner Program.



Super Operation and Value

The **Dukane ImagePro 8043A™** is a full-featured electronic imaging projector for education and road warrior office applications. It has the features needed for providing an exceptional image at a reasonable investment. To simplify any application the projector is automatically compatible with today's computer and video signals.

With an image of **1100 ANSI lumens** and a contrast of 400:1, the image is clearly visible in most classrooms and offices even with the lights on. It is a sharp 800 x 600 pixel image, that is rock solid with saturated colors for hours of pleasant viewing. Freedom of movement is possible with an easy to use infrared (IR) remote control included with the projector. A second set of controls is on the projector. A 1.3X zoom lens permits matching the image size to that of the screen.

The projector's automatic scaling circuit provides correctly sized images for computer inputs of VGA, SVGA, XGA, and SXGA resolutions along with the MAC equivalents. Also, video signals in composite or s-video format from a camera, VCR, or DVD player can be displayed. To provide a mixed media class or presentation, the IR remote control can switch the projector between the composite, s-video, and computer inputs. Thus, the projector image from a computer on a web site can easily be switched to the image from a VCR or that from a local camera.

The remote control can also operate the computer mouse using the computer's PS-2 or USB ports. Other remote control functions permit enlargement of an area of the image (zoom) and movement of the enlarged area (pan). For video an image can be "frozen". A "digital keystone" function assures that the image has the proper screen width.

The ImagePro 8043A can be used for normal front or rear screen projection. The image can also be switched for ceiling mounts. In all cases the whisper quiet cooling system never disturbs the room. A standard monitor output exists for special cases where the image must be locally viewed.

At less than 6 pounds the 8043A can be easily moved, using the included bag, to a variety of locations. This projector is backed by **Dukane's legendary service and an industry leading FIVE YEAR** limited warranty, plus a TWO year "Peace of Mind" program which is the finest in the industry.

Audio Visual Products



DUKANE

Dukane Corporation
Audio Visual Products Division
2900 Dukane Drive
St. Charles, IL 60174
Toll Free (800) 676-2485 or 2486
Fax (630) 584-5156
e-mail: avsales@dukane.com

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (<http://www.projector.com>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.